



# 4000 Series

Portable and Fixed Mount Patio Heaters

## Infrasave's Parasol series heaters are available in:

### Portable Gas Outdoor Patio Heaters

These tall gas patio heaters are built on sturdy 4" wheels and can easily be moved from one location to another and can be moved to secure storage. The base of Infrasave's parasol outdoor heater can hold up to a 20lb propane tank.

### Fixed Mount Parasol Patio Heaters

Infrasave's fixed mount parasol patio outdoor heaters offer a Natural Gas or Propane option, piped in from your central fuel supply.

**Experience Counts:** Infrasave is the worldwide market leader and most trusted brand with over 2 million heating appliances sold.



Portable LP

Fixed Mount NG



## Features


- Black or stainless steel enclosure to enhance the aesthetics of your patio
- Heat any area on your patio without needing an overhead structure
- Sturdy 4" wheels for stability and easy portability [portable model only]
- Portable propane or fixed mount natural gas models available

Contact us today for a FREE design and quote!

# 4000 Series - Technical Specifications & Additional Resources

Information below is intended only as a reference and should not be used when installing equipment. Please ensure you locate the most recent instruction manual for accurate and up to date information.

## 4000 Series - Fixed Mount Model



Standard

## 4000 Series - Portable Model



- Sturdy 4" diameter wheels:
- Easy portability
  - Added stability

## Dimensions and Specifications

Portable:	FINISH	DIMENSIONS	INPUT BTU/HR	FUEL	GAS PRESSURE		INLET	GAS SUPPLY	WEIGHT LBS.
					MIN	MAX			
4005-CB	Stainless Steel	90"x32"	38,000	LP	11"w.c.	14"w.c.	QCC	20 lb. cylinder	60
Fixed Mount:	FINISH	DIMENSIONS	INPUT BTU/HR	FUEL	GAS PRESSURE		INLET	GAS SUPPLY	WEIGHT LBS.
					MIN	MAX			
4SN5-CB	Stainless Steel	90"x32"	38,000	NG	5"w.c.	7"w.c.	1/2"	Piped from central supply	60

Parasol 4000 is design certified by CSA International for use outdoors in accordance with current ANSI standards.

Schwank warrants that the heater will operate as designed for wind conditions up to 10 MPH. Please note that adverse wind and weather conditions will reduce the effectiveness of any heating system.

Additional resources:



Instruction Manual  
4002/4005-CB



Instruction Manual  
4SN5/4BN6-CB



Find a Distributor



Patio Design Form

Distributor info:

Our customers include:



USA: 2 Schwank Way, Waynesboro, GA 30830 | Canada: 5285 Bradco Blvd. Mississauga, ON L4W 2A6  
Tel: 1-877-446-3727 | Fax: 1-866-361-0523 | www.infrasave.com | csr@infrasave.com



M111314 RL: v1.6 RD: Mar-2019